

**111.PF929**  
ALUMINUM PROFILE

31x10mm





# 111.PF929

ALUMINUM PROFILE

31x10mm




## ALUMINUM PROFILE



- ◆ Using High Quality 6063-T5 Aluminum as a material
- ◆ High Standard of anodizing aluminum surface
- ◆ International Standard Anodized Silver Color
- ◆ Heat Sink and physical protection to the LEDs
- ◆ Suitable for Max. 12mm width LED flexible strips
- ◆ Available length 1m, 2m, 2.5m, 3m, 4m

### Colors



White Painted



Silver Anodized  
+ standard color



Black Anodized

# .PF929


31x10mm

## ALUMINUM PROFILE

### DIFFUSER

The milky color diffusers are capable of transmitting a large spread of the LED light. It is able to give a uniform brightness and is used as a cover for LED lights to eliminate or reduce the light points of the LEDs.


Color	Milky
Material	PC
Working Temperature	-50°C ~ 100°C
Light Transmission	86%
Coefficient Diffusion	Medium
Method of Assembly	Push in



**Color:**

- 1.Transparent
- 2.Milky (opal)
- standard color
- 3.Black

### END CAP







# .PF929

ALUMINUM PROFILE

31x10mm

## MOUNTING CLIP



## INSTALLATION

